BOLTON
Cancer Incidence by Sex, 1993 - 1997
Expected and Observed Case Counts, with Standardized Incidence Ratios

	Exp	Obs	SIR		Exp	Obs	SIR
Bladder, Urinary				**Melanoma of Skin**			
Male	1.95	0	NC*	Male	1.41	2	NC*
Female	0.60	1	NC*	Female	1.00	2	NC*
Total	2.55	1	NC*	Total	2.41	4	NC*
Brain and Other Central Nervous System				**Multiple Myeloma**			
Male	0.79	1	NC*	Male	0.39	0	NC*
Female	0.59	0	NC*	Female	0.31	0	NC*
Total	1.39	1	NC*	Total	0.70	0	NC*
Breast				**Non-Hodgkin's Lymphoma**			
Male	0.14	0	NC*	Male	1.79	0	NC*
Female	12.97	7	54	Female	1.25	1	NC*
Total	13.11	7	53	Total	3.04	1	NC*
Cervix Uteri				**Oral Cavity and Pharynx**			
				Male	1.65	1	NC*
Female	0.87	2	NC*	Female	0.62	0	NC*
				Total	2.28	1	NC*
Colon / Rectum				**Ovary**			
Male	4.99	0	NC*				
Female	3.75	2	NC*	Female	1.59	4	NC*
Total	8.74	2	NC*				
Esophagus				**Pancreas**			
Male	0.84	0	NC*	Male	0.83	0	NC*
Female	0.19	0	NC*	Female	0.65	0	NC*
Total	1.03	0	NC*	Total	1.48	0	NC*
Hodgkin's Disease				**Prostate**			
Male	0.38	0	NC*	Male	12.71	10	79
Female	0.26	0	NC*				
Total	0.63	0	NC*				
Kidney and Renal Pelvis				**Stomach**			
Male	1.38	0	NC*	Male	0.89	0	NC*
Female	0.68	2	NC*	Female	0.40	0	NC*
Total	2.05	2	NC*	Total	1.29	0	NC*
Larynx				**Testis**			
Male	0.86	1	NC*	Male	0.51	0	NC*

	Exp	Obs	SIR			Exp	Obs	SIR
Female	0.22	0	NC*					
Total	1.09	1	NC*					

Leukemia | | | | | **Thyroid** | | | |

	Exp	Obs	SIR			Exp	Obs	SIR
Male	0.96	2	NC*		Male	0.31	0	NC*
Female	0.62	1	NC*		Female	0.70	1	NC*
Total	1.58	3	NC*		Total	1.01	1	NC*

Liver and Intrahepatic Bile Ducts | | | | | **Uteri, Corpus and Uterus, NOS** | | | |

	Exp	Obs	SIR			Exp	Obs	SIR
Male	0.46	0	NC*					
Female	0.14	0	NC*		Female	2.53	3	NC*
Total	0.60	0	NC*					

Lung and Bronchus | | | | | **All Sites / Types** | | | |

	Exp	Obs	SIR			Exp	Obs	SIR
Male	6.94	7	101		Male	43.13	27	63 #-
Female	4.66	1	NC*		Female	37.00	28	76
Total	11.60	8	69		Total	80.13	55	69 ~-

Exp = expected case count, based on the Massachusetts average age-specific incidence rates for this cancer

Obs = observed case count

SIR = standardized incidence ratio [(**Obs** / **Exp**) X 100]

* = **SIR** and statistical significance not calculated when **Obs** < 5

+ indicates number of observed cases is statistically significantly higher than the expected number of cases

- indicates number of observed cases is statistically significantly lower than the expected number of cases

# indicates statistical significance at the **p** ≤ 0.05 level

~ indicates statistical significance at the **p** ≤ 0.01 level, as well as at the **p** ≤ 0.05 level

^ indicates statistical significance at the **p** ≤ 0.001 level, as well as at the **p** ≤ 0.05 and **p** ≤ 0.01 levels